

PRODUCT INFORMATION PACKET

FASCO®

Model No: D125
Catalog No: D125
1/50 HP Fan & Blower Motor, 1500 RPM, 115 Volts, 3.3" Diameter, TEAO
Self Cooled Motors



Regal and Fasco are trademarks of Regal Beloit Corporation or one of its affiliated companies.
©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E

REGAL



Nameplate Specifications


Output HP	1/50 Hp	Output KW	0.01 kW
Frequency	60 Hz	Voltage	115 V
Current	0.80 A	Speed	1500 rpm
Service Factor	1	Phase	1
Duty	Air Over	Insulation Class	B
Frame	3.3	Enclosure	Totally Enclosed Air Over
Thermal Protection	Thermally Protected	Ambient Temperature	40 °C
UL	Recognized	CSA	Y
CE	N		

Technical Specifications

Electrical Type	Shaded Pole	Starting Method	Across The Line
Poles	4	Rotation	Counterclockwise Shaft End
Mounting	Extended Studs	Drive End Bearing	Sleeve
Opp Drive End Bearing	Sleeve	Frame Material	Steel
Shaft Type	Flat	Overall Length	5.08 in
Frame Length	2.24 in	Shaft Diameter	0.250 in
Shaft Extension	2.30 in		



This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:29/10/2019

43	REMOVE BARCODE AND UPDATE NAMEPLATE	KSA 11-04-09	44	REVISED PACKING AND ADDED CARTON LABEL NOTES	4003581 MLM 10/28/11	45	CHANGE REVISION TO MATCH ORACLE.	0055524 SDM 7/15/14	STANDARD TOLERANCES: ANGULAR +/- 1 DEGREE 2 PLACE DECIMAL +/- .01 3 PLACE DECIMAL +/- .005
----	-------------------------------------	--------------	----	--	-------------------------	----	----------------------------------	------------------------	---



NOTES:
PACK 270 MOTORS MAX. PER PALLET
NO PACKAGING TAPE OVER CARTON LABEL.

LEAD MATERIAL
18 GA. 125°C 2/64 INS.
X-LINK POLY., BLACK
14.00/12.00 IN. LONG
W/.68/.56 IN. STRIP



00464072

00464282



Fasco Industries, Inc.
Motor Division


**SAFETY WARNING**

This Motor Must Be
Grounded in
Accordance With Local
Or National Electrical
Codes To Prevent
Possible Injury Due To
Electrical Shock

Assembled In Mexico
No. 71633072
115 V
0.8 A
Model D125

TYPE U63B1 T.P. TEAO LR6319
60 Hz Class B
1500 RPM
1/50 HP
Max Amb: 40°C

61299553

FRONT SHAFT POSITION		★ TYPICAL PERFORMANCE AT 115 VOLTS 60 Hz.											CUSTOMER: FASCO DIST.		FASCO MOTORS GROUP AC MOTOR/BLOWER DIVISION											
HORIZONTAL		MOTOR SPEED	IDLE			LOADED			LOCKED			BREAK	PART NUMBER: D125		CONFIDENTIAL: DO NOT DUPLICATE OR DISCLOSE TO THIRD PARTIES WITHOUT WRITTEN PERMISSION OF FASCO MOTORS GROUP, AC MOTOR/BLOWER DIVISION.											
			R.P.M.	AMP.	WATT	IN.OZ.	R.P.M.	AMP.	WATT	IN.OZ.	AMP.		WATT	IN.OZ.												
			1755	.67	38	13.8	1550	.74	51	6.0	1.08	78	16.0	APPLICATION: COUNTER SALES		MOTOR TYPE					DRAWING NUMBER					
		CUSTOMER APPROVAL:													MOTOR WEIGHT: 2.66 LBS.		SHADED POLE					7163 3072				
SIGNED:													ENVIRONMENT: DRY		B	LA	FR	A	S	C	E	B	A	REV. 45		
DATE:													FINISH COLOR: BLACK													
													DRAWN BY: TAMMY JONES		00	63	30	T	03	OR	5	1	0			
													DATE DRAWN: JANUARY 24, 2002													