## **Combustion Analyzer C165KIT**



## 6-Line Display Combustion Analyzer with NO Oxygen Sensor



99 Washington Street Melrose, MA 02176 Phone 781-665-1400 Toll Free 1-800-517-8431

Visit us at www.TestEquipmentDepot.com



Award-Winning EOS Sensor Technology

HVAC professionals have benefitted from UEi's EOS technology for over 10 years.

### **NO Oxygen Sensor to Replace**

This lowers cost-of-ownership with one less sensor to maintain. Over the lifespan of an analyzer this saves hundreds of dollars.

#### **Functions**

- EOS CO2 sensor
- C0 sensor (NOx filtered)
- 0<sub>2</sub> calculated
- Flue & Ambient Temperature
- Differential Temperature
- Draft
- Differential Pressure
- N0 sensor (optional upgrade)
- Heat Exchange Test
- Room CO Test
- · Commissioning Test

#### Features

- High Altitude Compensation
- No 0<sub>2</sub> sensor replacements
- N0x Filtered C0 sensor
- Purge Pump
- 160 memory positions
- Auto purge at shut off
- Built-in condensate trap w/ window
- 6 Line Display
- 15 Fuel Selections
- 160 Memory Locations
- Optional Wireless Module for Mobile App

## **Warranty Expandable To 6 years**

C165 analyzer comes with 1-year limited warranty that can be extended each year during the annual service to provide 6 years of protection. See reverse side for full details.

#### C165 Includes

- · Combustion Analyzer
- 12" Flue Probe w/ 10' Hose
- Inlet tube/Probe connector
- · Hard Carrying Case

#### C165KIT Includes

- · Combustion Analyzer
- 12" Flue Probe w/ 10' Hose
- Inlet tube/Probe connector
- Particle Filter (spare)
- · AC Adapter
- K-type Temperature Probes (2)
- Owners Manual
- · Hard Carrying Case
- Infrared Thermal Printer
- · Paper Roll (spare)

#### C165BTKIT Includes

- · Combustion Analyzer
- 12" Flue Probe w/ 10' Hose
- Inlet tube/Probe connector
- · Particle Filter (spare)
- · AC Adapter
- K-type Temperature Probes (2)
- · Owners Manual
- · Hard Carrying Case
- Installed Wireless Module







# Combustion Analyzer C165KIT



## **Specifications**

Parameter	Range	Resolution	Accuracy
Temp Measurement			
Flue Temperature	32-1112°F	0.1°F	+3.6°F +0.3% reading
Inlet Temperature (Internal sensor)	32-112°F	0.1°F	+1.8°C +0.3% reading
Inlet Temperature (External sensor)	32-1112°F	0.1°F	+3.6°F +0.3% reading
Flue Gas Measurement			
Oxygen* <sup>2</sup>	0-21%	0.1%	+0.3%
Carbon monoxide *1	0-20ppm	1ppm	+3ppm +5% reading
	21-2,000ppm Above 2000ppm Purge pump operates		Unspecified
Carbon dioxide *1	0-20%	0.1%	+0.3% volume
Efficiency (Net or Gross) * <sup>2</sup>	0-99.9%	0.1%	+1.0% reading
Efficiency High (C) *2	0-119.9%	0.1%	+1.0% reading
Excess Air *2	0-250%	0.1%	+0.2% reading
CO/CO2 ratio * <sup>2</sup>	0-0.999	0.0001	+5% reading
Pressure (differential)			
Nominal range ±80mbar Maximum over range without damage to sensor is ±400mbar	±0.08" wc (+0.2 mbar)	Maximum 0.001" wc < 9.999"wc 0.01" wc >10.00"wc (0.001 mBar < 24.99 mbar) (0.01 mBar > 25 mbar)	±0.002" wc (±0.005 mBar)
	±0.4" wc (±1mBar)		±0.01" wc (±0.03 mBar)
	±32" wc (±80mBar)		+3% of reading
Pre-Programmed Fuels	Natural gas, Propane, Butane, LPG, Light Oils (28/35 sec), Wood Pellets, Town Gas, Coke Gas, Bio Oil, Bio Gas		
User programmed Fuels	5 user defined fuels		
Storage Capacity	60 Combustion tests		
	20 Pressure & Temperature tests		
	20 Heat Exchange tests		
	20 Temperature tests		
	20 Room CO tests		
	20 Commissioning tests		

<sup>\*1</sup> Using dry gases at STP

#### **Annual Recertification**

C165 Recertification: Calibration or Full Service		
Year 1	1-Year Limited Warranty	
Year 2	Extended 1-Year	
Year 3	Extended 1-Year	
Year 4	Extended 1-Year	
Year 5	Extended 1-Year	
Year 6	Extended 1-Year	

<sup>\*</sup> Fixed Annual service cost: \$165.95 Prices are in US dollars as of Jan. 2019.

#### **Annual Recertification includes:**

- Full 30-point inspection by factory trained professionals
- Replacement of sensors or calibration ensuring your analyzer is up to manufactures specifications
- Software and firmware updates
- Another 12-month warranty on the analyzer
- List of work performed, and parts replaced
- A certificate of calibration

<sup>\*2</sup> Calculated