

Westwood

PREMIUM FUEL FILTERS**ALUMINUM TOP WITH EPOXY COATING INSIDE!**

FEATURING THE LATEST COMPUTER DESIGNED CAST ALUMINUM TOP, CHOICE OF ELEMENT TYPE, AND **EPOXY** COATING INSIDE !

- Advanced design CAST ALUMINUM TOP is the industry's strongest and most corrosion resistant!
- Galvanized canister with EPOXY COATING on the inside - FIRST in the industry!
- Highest UL GPH and pressure rating of any filter in its class
- 360° screwdriver slot makes disassembly for element changing easy



with **Pure Oil™**

Fiber-Welded White Element

No. F10 **No. F30**

Ultra-10™

10 Micron Pleated Paper Element

No. F12 **No. F32**

CLASSIC FELT™

Wool Felt Stacked Segment Element

No. F15 **No. F35**

COMPLETE FILTERS with EPOXY coated can

biofuels COMPATIBLE

No.	Element Type	GPH	PSI	Replaces
F10 F12 F15	Pure-Oil™ Ultra-10™ CLASSIC FELT™	17	52	General 1A-25A, Unifilter 77, Sid Harvey (Mitco) 264, 264F
F30 F32 F35	Pure-Oil™ Ultra-10™ CLASSIC FELT™	32	52	General 2A-700A, Unifilter 99, Sid Harvey (Mitco) 265, 265F

All filters have 3/8" NPT pipe connections



Take a look . . .

UL approved CANISTER UPGRADE KITS on page F11
Individual FILTER GASKETS on page F10

F1

Westwood


CAST IRON TOP FUEL FILTERS

WITH **EPOXY** COATING INSIDE!

- Exact Replacement for popular CAST IRON top filters
- Heavy gage canister with EPOXY COATING on the inside - FIRST in the industry!
- UL GPH and pressure ratings EXCEED comparable OEM filters
- 360° screwdriver slot makes disassembly for element changing easy

biofuelsTM
COMPATIBLE


C[®] UL[®] US
LISTED



CHOICE OF ELEMENT INSIDE

Pure/OilTM


Fiber-Welded White Element




☒ No. **F20**

CLASSIC FELTTM

Stacked Segment Element




☒ No. **F25**



CHOICE OF ELEMENT INSIDE

Pure/OilTM


Fiber-Welded White Element




☒ No. **F65**

CLASSIC FELTTM

Stacked Segment Element




☒ No. **F70**




ELEMENT INSIDE

Pure/OilTM

Fiber-Welded White Element




☒ No. **F80**



ELEMENT INSIDE

CLASSIC YARNTM

Honeycomb Wound Element



☒ No. **F84**

COMPLETE CAST IRON TOP FILTERS with EPOXY coated can

<input checked="" type="checkbox"/> No.	Element Type	GPH	PSI	Exact Replacement for:
F20 F25	Pure-Oil TM CLASSIC FELT TM	17	52	General 1A-25A
F65 F70	Pure-Oil TM CLASSIC FELT TM	32	52	General 2A-700A
F80	Pure-Oil TM BIG GUYTM	30	52	FULFLO FB4
F84	CLASSIC YARN TM	22	52	

BIG GUYTM
ELEMENT

HOLDS TWICE
AS MUCH!

All filters have 3/8"- NPT pipe connections

 Take a look ...

UL approved CANISTER UPGRADE KITS on page F11
Individual FILTER GASKETS on page F10

Please order by ☒ No.

Westwood

the NEW industry leader in Spin-Ons!

1/8"-NPT tapping for vacuum gauge & bleeding

ALL heads tapped for bracket

Cast aluminum top

Seamless one piece
canister (drawn steel)

Epoxy coated inside

Ultra-10™ 10 Micron media

Plated steel end caps (media
embedded in thermo setting adhesive)

Spring pad (no metal to epoxy contact)

biofuels
COMPATIBLE

#1

The FIRST Epoxy
Coated UL LISTED
Spin-On!


US and Canada

Perforated metal center support tube




Precision coil spring

For Every Service Need...

Residential

Ultra-10™
10 MICRON FILTER MEDIA

Commercial

COMMERCIAL DUTY
30 MICRON FILTER MEDIAMounting
Bracket
KitFLI™
Filter Life Indicator
with Gauge Mount
& Bleeder fittingSee the following page for a
complete listing of the entire
Spin-On line, replacement
elements, and accessories.

All Westwood complete Spin-On filters and replacement elements are UL Approved

All Spin-On filters have 3/8"-NPT pipe connections and a 1/8"-NPT bleeder/gauge port

RESIDENTIAL - 17 GPH, 40 PSI, 10 Micron




No. F100
Complete Filter



No. F100-2
Complete Filter with
bracket kit



No. F100-4
Complete Filter with
bleeder fitting and **FLI**[™]
gauge



No. F100-6
Complete Filter with
bracket kit, bleeder fitting
and **FLI**[™] gauge



No. F100-10
Replacement Element,
individually boxed
with "O" ring

COMMERCIAL - 37 GPH, 20 PSI, 30 Micron




No. F100-1
Complete Filter



No. F100-3
Complete Filter with
bracket kit



No. F100-5
Complete Filter with
bleeder fitting and **FLI**[™]
gauge




No. F100-7
Complete Filter with
bracket kit, bleeder fitting
and **FLI**[™] gauge




No. F100-11
Replacement Element,
individually boxed
with "O" ring

SPIN-ON PARTS & ACCESSORIES




No. F100-8
Replacement filter top only
with holes for bracket



No. F100-12
Mounting bracket Kit
(includes screws)



No. F100-14
FLI[™] (Filter Life Indicator)
color coded vacuum gauge




No. F100-16
Gauge mount and bleeder
fitting (allows filter bleeding
without removing gauge)



No. F100-18
Spin-On filter wrench
(fits all popular filters)

Need help identifying what you need? See cross reference on next page.

SPIN-ON CROSS REFERENCE - Westwood to others


 No.	Description	Gar-Ber	Sid Harvey (Mitco)	Crown
F100	Filter - Residential	11V-R	290, 264-SO	41439
F100-1	Filter - Commercial	-	292-2, 264-92	-
F100-2	Filter - Residential w/bracket	11BV-R	-	-
F100-3	Filter - Commercial w/bracket	11BV-M	292-2B, 264-92B	-
F100-4	Filter - Residential w/gauge	11V-RK	-	-
F100-5	Filter - Commercial w/gauge	-	292-2G, 264-92G	-
F100-6	Filter - Residential w/bracket & gauge	11BV-RK	-	-
F100-7	Filter - Commercial w/bracket & gauge	11BV-MK	292-2GB, 264-92GB	-
F100-8	Replacement spin-on filter top only	-	290-SO, 290-SOM	-
F100-10	Spin-On element only - Residential	R	290-6, 264-91	41436
F100-11	Spin-On element only - Commercial	M	292-1, 264-93	-
F100-14	Filter Life Indicator (FLI) color coded vacuum gauge, 1/8"-NPT	F.R.I.	-	-
F100-16	Gauge mount and bleeder fitting	-	-	-
F100-18	Spin-on filter wrench	-	-	-

This cross-reference is provided as an aid in identifying which Westwood part numbers most closely replace those part numbers shown. It was accurate at the time it was created, to the extent that the information was publically available. Since manufacturers may sometimes change part numbers and specifications, or discontinue products altogether, some inaccuracies may develop over time. Further, the Westwood parts shown will provide an equivalent, or superior, level of performance and service. However, due to differences among manufacturers, physical size and dimensions may vary.

FLI™


FILTER LIFE INDICATOR GAUGE AND FITTINGS

The **FLI™** gauge is a color coded vacuum gauge that predicts filter life by showing the running vacuum developed as a result of filter media loading. The fittings may also be used as a diagnostic tool wherever a gauge needs to be inserted into the system.




 No. F100-50

Piping: 3/8" Copper
Use at: Pump, OSV,
Tigerloop




 No. F100-60


Piping: 3/8" Copper
Use at: Filter



 No. F100-70

Piping: Flexible Oil Line
Use at: Pump, OSV,
Tigerloop




 No.	Description	System Piping	Typically Installed At
F100-14	FLI™ Filter Life Indicator color coded gauge, 1/8"-NPT	-	-
F100-50	FLI™ fitting, 3/8" flare x 1/4"- NPT(M)	3/8" OD Copper	Pump, OSV, Tigerloop
F100-55	F100-50 fitting with FLI™ gauge	3/8" OD Copper	Pump, OSV, Tigerloop
F100-60	FLI™ fitting, 3/8" flare x 3/8"- NPT(M)	3/8" OD Copper	Filter
F100-65	F100-60 fitting with FLI™ gauge	3/8" OD Copper	Filter
F100-70	FLI™ fitting, 1/4"- NPT(F) x 1/4"- NPT(M)	Flexible Oil Line	Pump, OSV, Tigerloop
F100-75	F100-70 fitting with FLI™ gauge	Flexible Oil Line	Pump, OSV, Tigerloop

F5

Westwood

SECONDARY FILTRATION ASSEMBLIES

Fully assembled filter assemblies combining Westwood's premium standard filters with Westwood's ultra fine filters. Connected in series, the PRIMARY filter catches most contamination; the SECONDARY filter traps the small nozzle plugging particles.



W/P No.	Primary Filter No.	Primary Element	Secondary Filter No.	Secondary Element
F10-12	F10	Pure-Oil™	F12	10 micron pleated paper (replaceable)
F10-100	F10		F100	10 micron spin-on
F30-12	F30		F12	10 micron pleated paper (replaceable)
F30-100	F30		F100	10 micron spin-on
F80-12	F80		F12	10 micron pleated paper (replaceable)
F80-100	F80		F100	10 micron spin-on



All filters have 3/8" - NPT pipe connections




UL approved CANISTER UPGRADE KITS on page F11
Individual FILTER GASKETS on page F10

Please order by W/P No.

rev. 5-1-06

F6



THE ONLY

UL APPROVED

replacement elements



An industry first! Westwood's new line of UL Recognized replacement filter elements are UL approved for use in the General 1A-25A, 2A-700A; Unifilter 77, 99; Sid Harvey (Mitco) 264, 265; Fulflo FB4; and Firomatic C-40, C-50

Be Safe! Always look for the UL Recognized Component symbol



Pure Oil™


FILTER ELEMENTS

- ▶ Latest Computer Designed Shape
- ▶ Largest surface area with most filtering ribs
- ▶ Greater capacity - highest in it's class!
- ▶ Fiber-welded for shed free performance
- ▶ Environmentally friendly processed plant fiber
- ▶ Popular elements UL Recognized Components

*The Most Advanced Design...
With the Most Advanced Material!*



c AU[®] US

 No.	Reference No.	Description	Fits	QTY PKG
F10-48*	PA-25	Pure-Oil™ Individually bagged with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	48
F30-24*	-	Pure-Oil™ Individually bagged with gaskets	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	24
F80-24*	-	Pure-Oil™ BIG GUY ™ Ind. bag w/gaskets	Fulflo FB4	24
F80-30*	-	Pure-Oil™ bulk packed less gaskets	Fulflo FB4	30
F80-36*	P4FO-IB	Pure-Oil™ Individually boxed with gaskets	Fulflo FB4	36
F80-48*	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB4	48
F81-10	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB6	10
F82-6	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB8	6
F83-4	-	Pure-Oil™ Individually bagged with gaskets	Fulflo FB10	4
F90-6*	-	Pure-Oil™ Individually bagged with gaskets	Firomatic C-40 (RC-20)	6
F90-12*	-	Pure-Oil™ BIG GUY ™ Ind. bag w/gaskets	Firomatic C-40 (RC-20)	12
F90-36*	PF-20	Pure-Oil™ Individually bagged with gaskets	Firomatic C-40 (RC-20)	36
F91-6*	-	Pure-Oil™ Individually bagged with gaskets	Firomatic C-50 (RC-30)	6
F91-12*	-	Pure-Oil™ BIG GUY ™ Ind. bag w/gaskets	Firomatic C-50 (RC-30)	12
F91-36*	PF-30	Pure-Oil™ Individually bagged with gaskets	Firomatic C-50 (RC-30)	36
F92-6	-	Pure-Oil™ Individually bagged with gaskets	Purolator PF2002	6
F92-36	PP-20	Pure-Oil™ Individually bagged with gaskets	Purolator PF2002	36
F93-6	-	Pure-Oil™ Individually bagged with gaskets	Fram 1210, 1210A (2-1/4")	6
F93-36	PM-12	Pure-Oil™ Individually bagged with gaskets	Fram 1210, 1210A (2-1/4")	36
F94-6	-	Pure-Oil™ Individually bagged with gaskets	Fram 1210, 1210A (3-1/4")	6
F94-36	PM-12-RO	Pure-Oil™ Individually bagged with gaskets	Fram 1210, 1210A (3-1/4")	36

* UL Recognized Component

BIG GUY™
ELEMENT

HOLDS TWICE
AS MUCH!

Individual FILTER GASKETS on page F10


Please order by  No.

rev. 5-1-06


F8

Ultra-10TM 10 MICRON FILTER ELEMENTS


- ▶ 10 Micron rating for super fine filtration
- ▶ Same type element as used in spin-ons
- ▶ Advanced collapse-proof design
- ▶ Changes any standard filter into a high performance filter



 No. **F12-12**



 No. **F32-12**

 No.	Description	Fits	QTY PKG
F12-12*	Ultra-10 TM Indiv. bagged with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	12
F32-12*	Ultra-10 TM Indiv. bagged with gaskets	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	12

* UL Recognized Component


CLASSIC FELTTM

STACKED SEGMENT ELEMENTS


- ▶ Premium quality precision cut wool felt
- ▶ Economical time proven classic design



 No. **F15-36, -48**




 No. **F35-12, -24**

 No.	Reference No.	Description	Fits	QTY PKG
F15-36*	AO25	CLASSIC FELT TM Indiv. boxed with gaskets	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25; Sid Harvey (Mitco) 264, 264F	36
F15-48*	AO25B	CLASSIC FELT TM Indiv. bagged with gaskets	Sid Harvey (Mitco) 264, 264F	48
F35-12*	-	CLASSIC FELT TM Indiv. bagged with gaskets	General 2A-700A; Unifilter 99; Westwood F30, F32, F35, F65, F70; Sid Harvey (Mitco) 265, 265F	12
F35-24*	AO70	CLASSIC FELT TM Indiv. boxed with gaskets	Sid Harvey (Mitco) 265, 265F	24

* UL Recognized Component

COMMERCIAL ELEMENTTM for General Filters 2A-300

- ▶ Original **Hard to find** sealed can design

 No.	Reference No.	Description	Fits	QTY PKG
F75-12	AO30	Original sealed can design, individually boxed with gaskets	General 2A-300	12





 No. **F75-12**

Individual FILTER GASKETS on page F10



CLASSIC YARN™ WOUND ELEMENTS

- Premium quality tightly wound yarn
- Economical time proven classic design



No. **F84** (SERIES)
for Fulflo FB4

No. **F85** (SERIES)
for Fulflo FB6



No. **F86** (SERIES)
for Fulflo FB8

No. **F87** (SERIES)
for Fulflo FB10

No.	Reference No.	Description	Fits Fulflo	QTY PKG
F84-30*	4FO-30	Bulk wo/gaskets	FB4	30
F84-36*	4FO-IB	Boxed w/gaskets	FB4	36
F84-48*	4FO-IBG	Bagged w/gaskets	FB4	48
F85-10	-	Bagged w/gaskets	FB6	10
F85-30	6FO-30	Bulk wo/gaskets	FB6	30
F86-6	-	Bagged w/gaskets	FB8	6
F86-30	8FO-30	Bulk wo/gaskets	FB8	30
F87-4	-	Bagged w/gaskets	FB10	4
F87-30	10FO-30	Bulk wo/gaskets	FB10	30

* UL Recognized Component

FUEL FILTER GASKETS

The same high quality gaskets used in Westwood's UL Listed filters



No.	Reference No.	Filter Manufacturer and Model	Description	Material	QTY PKG
F10-50	CG-25	General 1A-25A; Unifilter 77;	Cover	Rubber	100
F10-52	BG-25	Westwood F10, F12, F15, F20, F25;	Bolt	Fiber	100
F10-54	-	Sid Harvey (Mitco) 264, 264F	Vent	Fiber	100
F10-55	VG-25	Westwood S-254	Vent	Fiber	100
F30-50	CG-70	General 2A-700A; Unifilter 99;	Cover	Rubber	100
F10-52	BG-25	Westwood F30, F32, F35, F65, F70;	Bolt	Fiber	100
F10-54	-	Sid Harvey (Mitco) 265, 265F	Vent	Fiber	100
F75-50	CG-300	General 2A-300	Cover	Rubber	100
F75-56	LG-300		Lower Can	Rubber	100
F80-50	CG-B4	Fulflo FB4, FB6, FB8, FB10	Cover	Rubber	100
F80-52	BG-4		Nut	Fiber	100
F80-54	VG-4		Vent	Fiber	100
F90-50	CG-20	Firomatic C-40 (RC-20), C-50 (RC-30)	Cover	Rubber	100
F90-52	BG-20		Bolt	Fiber	100
F92-50	CG-2002	Purolator PF2002	Cover	Rubber	100
F92-52	BG-2002		Bolt	Fiber	100
F92-54	VG-2002		Vent	Fiber	100
F93-50	CG-1210	Fram 1210, 1210A	Cover	Rubber	100





THE ONLY
UL APPROVED
 replacement canisters

Another industry first! Westwood's new line of UL Recognized replacement canisters are UL approved for use on General 1A-25A, 2A-700A; Unifilter 77, Unifilter 99; Sid Harvey (Mitco) 264, 264F, 265, 265F; and Fulflo FB4.

Be Safe! Always look for the UL Recognized Component symbol



CANISTER UPGRADE KITS* Epoxy coated can, element, center bolt, gasket, fiber washers

 No.	Element Type	Upgrades	
F10-5 F12-5 F15-5	Pure-Oil™ Ultra-10™ CLASSIC FELT™	General 1A-25A; Unifilter 77; Westwood F10, F12, F15, F20, F25, S-254; Sid Harvey (Mitco) 264, 264F	
F30-5 F32-5 F35-5	Pure-Oil™ Ultra-10™ CLASSIC FELT™	General 2A-700A; Unifilter 99; Westwood F30, F32, F35; Sid Harvey (Mitco) 265, 265F	
F80-5	Pure-Oil™ BIG GUY™	FULFLO FB4	
F84-5	CLASSIC YARN™		

* All kits contain UL Recognized Component canisters and elements

Individual FILTER GASKETS on page F10